



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/823,411	04/12/2004	Scott C. Anderson	003-005-C1	3240
55962 7590 02/20/2009				
SJM/AFD-WILEY				
14901 DEVEAU PLACE				
MINNETONKA, MN 55345-2126				
EXAMINER				
SHAY, DAVID M				
ART UNIT		PAPER NUMBER		
3769				
MAIL DATE		DELIVERY MODE		
02/20/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary**Application No.**

10/823,411

Applicant(s)

ANDERSON ET AL.

Examiner

david shay

Art Unit

3769

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on November 21, 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 50-54 and 83-109 is/are pending in the application.
- 4a) Of the above claim(s) 50-54 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 83-109 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/85/08)
Paper No(s)/Mail Date November 21, 2008
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on November 21, 2008 has been entered.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Applicant argues that since the device of Choy “vaporizes the obstruction, *which is constantly removed by suction*” and thus cannot teach an ablating device adapted to temporarily mechanically couple to a tissue surface. The examiner must respectfully disagree, however, since, even assuming that, as applicant appears to be arguing, the tissue which the catheter adheres to is vaporized, and thus no longer available for attaching to, the catheter would still *temporarily* be attached until that portion of the obstruction was ablated. However, as can readily be seen from Figure 2 of Choy et al, the tunnel through the obstruction does not remove the portions of the obstruction that the catheter is contacting. This only makes sense, since even if the radiation were sent out in a wide enough pattern to head towards this portion of the obstruction, the energy would be intercepted by the portion of the catheter forming the outer lip

before it had a chance to strike and ablate that portion of the obstruction. Thus this argument is not convincing.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 98 and 109 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 98 and 109 are indefinite, as it is unclear what further structure is to be inferred by reciting the tissue the device is adapted to contact.

Claims 83, 89, 90, 94, and 97 rejected under 35 U.S.C. 102(b) as being clearly anticipated by Choy.

See Figure 1, wherein the distal tip of the device is the outer lip, the laser fiber is the ablating element, the ring of illumination fibers (see Figure 4) constitutes an inner lip, which are substantially coplanar with the outer lip and the annular volume surrounding the fiber constitutes fluid chamber, and the portion of the catheter proximal of the fiber is the suction lumen, the suction port being that portion of the catheter coupled to the suction source.

Claims 83-89, 94, 96-101, 104, and 109 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Edwards et al ('798).

Edwards et al ('798) teach a device as claimed (see Figures 68-71) wherein the insulation of the electrode constitutes the inner lip of the suction well.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 84-88, 91-93, and 95 are rejected under 35 U.S.C. 103(a) as being unpatentable over Choy. Choy teaches a device as claimed except the multiple wells, the sensors and the particular ratio of the suction lumen cross section to the vacuum port cross section. It would have been obvious to the artisan of ordinary skill to provide multiple ports for multiplied effect, such as operating on multiple cardiac vessels simultaneously, and to provide a pressure, flow rate, or electrical sensor since these are equivalent to the reservoir 30 of Choy, as they would serve to distinguish when the thrombus is breached and provide no unexpected result, and to provide the particular ratio of the port cross section to the lumen cross section since this is not critical; is well within the skill of one having ordinary skill in the art; and provides no unexpected result, thus producing a device such as claimed.

Claims 90-93, 95, 102, 103, and 105-108 are rejected under 35 U.S.C. 103(a) as being unpatentable over Edwards et al ('798). Edwards et al ('798) teaches a device as claimed except the particular vacuum sensors and the particular ratio of the suction lumen cross section to the vacuum port cross section and the ablating element being recessed with respect to the coplanar inner and outer walls. It would have been obvious to the artisan of ordinary skill to provide and to provide a flow rate or electrical, sensor since these are equivalent to the reservoir vacuum sensor of Edwards et al ('798), since this is not critical; is well within the skill of one having ordinary skill in the art; and provides no unexpected result, and would serve to distinguish when

the device becomes dislodged, to provide the particular ratio of the port cross section to the lumen cross section since this is not critical; is well within the skill of one having ordinary skill in the art; and provides no unexpected result, and to provide coplanar walls, since this is not critical; is well within the skill of one having ordinary skill in the art; provides no unexpected result; and would allow cooling fluid to be administered top the surface tissue where the electrode is inserted , thereby preventing damage thereto, thus producing a device such as claimed.

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 83-109 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-25 of U.S. Patent No. 5,830,214. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the patent anticipate the claims of the application. Accordingly, instant application claims are not patentably distinct from the patent application claims. Here, the patent application claims require elements A, B, C, and D while instant application claim 1 only requires elements A, B, and C. Thus it is apparent that the more specific patent application claims encompass the instant application claims. Following the rationale in *In re Goodman* cited in the preceding

paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

Claims 83-109 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-11 of U.S. Patent No. 6,161,543. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the patent anticipate the claims of the application. Accordingly, instant application claims are not patentably distinct from the patent application claims. Here, the patent application claims require elements A, B, C, and D while instant application claim 1 only requires elements A, B, and C. Thus it is apparent that the more specific patent application claims encompass the instant application claims. Following the rationale in *In re Goodman* cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

Claims 83-109 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-49 of U.S. Patent No. 6,237,605. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the patent anticipate the claims of the application. Accordingly, instant application claims are not patentably distinct from the patent application claims. Here, the patent application claims require elements A, B, C, and D while instant application claim 1 only requires elements A, B, and C. Thus it is apparent that the more specific patent application claims encompass the instant application claims. Following the rationale in *In re Goodman* cited in the preceding

paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

Claims 83-109 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-25 of U.S. Patent Application No. 11/882,072. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the copending application anticipate the claims of the instant application. Accordingly, instant application claims are not patentably distinct from the copending application claims. Here, the copending application claims require elements A, B, C, and D while instant application claims only requires elements A, B, and C. Thus it is apparent that the more specific copending application claims encompass the instant application claims. Following the rationale in *In re Goodman* cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 83-109 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-31 of U.S. Patent Application No. 11/646,524. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the copending application anticipate the claims of the instant application. Accordingly, instant application claims are not patentably

distinct from the copending application claims. Here, the copending application claims require elements A, B, C, and D while instant application claims only requires elements A, B, and C. Thus it is apparent that the more specific copending application claims encompass the instant application claims. Following the rationale in *In re Goodman* cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 83-109 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-21 of U.S. Patent Application No. 11/878,375. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the copending application anticipate the claims of the instant application. Accordingly, instant application claims are not patentably distinct from the copending application claims. Here, the copending application claims require elements A, B, C, and D while instant application claims only requires elements A, B, and C. Thus it is apparent that the more specific copending application claims encompass the instant application claims. Following the rationale in *In re Goodman* cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Applicant's arguments with respect to claims 83-109 have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to david shay whose telephone number is (571) 272-4773. The examiner can normally be reached on Tuesday through Friday from 6:30 a.m. to 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry Johnson, can be reached on Monday through Friday from 7:00 a.m. to 3:30 p.m. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/david shay/

Primary Examiner, Art Unit 3769